

**CONCENTRATED BRUSH-ON GEL PAINT,
VARNISH AND GRAFFITI REMOVER.**

- Non flammable
- Non caustic/non acidic formulation
- Viscous for use on vertical surfaces
- All purpose
- Water washable
- Will penetrate several layers

LONDON UNDERGROUND PART NO: 17418/112(5LIT) /113(25LIT)

APPLICATION

PCS 200 is an all purpose jelly paint stripper that easily removes decorative coatings/finishes such as paints, cellulose, enamel, polyurethane and modern acrylic from all metals and wood. Excellent non-drip characteristics to enable use on vertical surfaces. For industrial and domestic use, PCS 200 may also be of use in removing painted graffiti from masonry and unpainted metal and wood.

METHOD OF USE

Apply a generous coating of PCS 200 using a soft brush or cotton swab. Leave in contact with the painted surface for anything up to 30 mins, however such long contact times are not normally required. Small items may be dip stripped. Remove softened paint with a wooden scraper and rinse off residue with water.

Exceptionally heavy layers of paint may require a second application.

Coverage: normally 2-4 sq metres per litre.

With graffiti removal from hard surfaces, work in well with a stiff brush or cotton swab and leave in contact with the surface for 30 mins. (or longer if required). Wipe off graffiti working outside to in, using a cotton swab. Wash off residual graffiti and PCS 200 using a pressure hose if appropriate (use hot/cold water at 150-200 psi).

SAFETY PRECAUTIONS

Use outdoors where possible or in a well ventilated area. Wear chemically resistant goggles or a visor.

Wear rubber (not pvc) gloves and overall/apron. Wash off any splashes with plenty of soap and water. Eyes should be treated by irrigation with water. For detailed health and safety information request a hazard data sheet.

PACKAGING 4 x 5 and 25 litre drums.

Paco systems
Broadridge Close
Newton Abbot
Devon TQ12 1YE

Tel: 01626 207064
Fax: 08712 424345
www.paco-systems.co.uk
info@paco-systems.co.uk

*Paints and Coatings
for Industry*